



Hands-on: Live-DVD and NPB-MZ-MPI / BT

VI-HPS Team

- The NAS Parallel Benchmark suite (MPI+OpenMP version)
 - Available from
<http://www.nas.nasa.gov/Software/NPB>
 - 3 benchmarks in Fortran77
 - Configurable for various sizes & classes
- Move into the NPB3.3-MZ-MPI root directory

```
% cd Tutorial; ls
bin/    common/   jobsript/   Makefile   README.install   SP-MZ/
BT-MZ/   config/   LU-MZ/      README     README.tutorial sys/
```

- Subdirectories contain source code for each benchmark
 - plus additional configuration and common code
- The provided distribution has already been configured for the tutorial, such that it's ready to "make" one or more of the benchmarks and install them into a (tool-specific) "bin" subdirectory

- Type “make” for instructions

```
% make  
=====  
= NAS PARALLEL BENCHMARKS 3.3 =  
= MPI+OpenMP Multi-Zone Versions =  
= F77 =  
=====
```

To make a NAS multi-zone benchmark type

```
make <benchmark-name> CLASS=<class> NPROCS=<nprocs>
```

where <benchmark-name> is “bt-mz”, “lu-mz”, or “sp-mz”
<class> is “S”, “W”, “A” through “F”
<nprocs> is number of processes

[. . .]

```
*****  
* Custom build configuration is specified in config/make.def *  
* Suggested tutorial exercise configuration for LiveDVD: *  
*   make bt-mz CLASS=W NPROCS=4 *  
*****
```

- Specify the benchmark configuration
 - benchmark name: **bt-mz**, lu-mz, sp-mz
 - the number of MPI processes: **NPROCS=4**
 - the benchmark class (S, W, A, B, C, D, E): **CLASS=W**

```
% make bt-mz CLASS=W NPROCS=4
cd BT-MZ; make CLASS=W NPROCS=4 VERSION=
make: Entering directory 'BT-MZ'
cd .../sys; cc -o setparams setparams.c
..../sys/setparams bt-mz 4 W
mpif77 -c -O3 -fopenmp bt.f
[...]
cd .../common; mpif77 -c -O3 -fopenmp timers.f
mpif77 -O3 -fopenmp -o ../bin/bt-mz_W.4 \
bt.o initialize.o exact_solution.o exact_rhs.o set_constants.o \
adi.o rhs.o zone_setup.o x_solve.o y_solve.o exch_qbc.o \
solve_subs.o z_solve.o add.o error.o verify.o mpi_setup.o \
..../common/print_results.o ..../common/timers.o
Built executable ../bin/bt-mz_W.4
make: Leaving directory 'BT-MZ'
```

- What does it do?
 - Solves a discretized version of unsteady, compressible Navier-Stokes equations in three spatial dimensions
 - Performs 200 time-steps on a regular 3-dimensional grid
- Implemented in 20 or so Fortran77 source modules
- Uses MPI & OpenMP in combination
 - 4 processes with 4 threads each should be reasonable
 - don't expect to see speed-up when run on a laptop!
 - bt-mz_W.4 should run in around 5 to 12 seconds
 - bt-mz_A.4 should take around 10-15x longer (50-100 seconds)

- Launch as a hybrid MPI+OpenMP application

```
% cd bin  
% OMP_NUM_THREADS=4 mpiexec -np 4 ./bt-mz_w.4  
NAS Parallel Benchmarks (NPB3.3-MZ-MPI) - BT-MZ MPI+OpenMP Benchmark  
Number of zones: 4 x 4  
Iterations: 200 dt: 0.000800  
Number of active processes: 4  
Total number of threads: 16 ( 4.0 threads/process)  
  
Time step 1  
Time step 20  
Time step 40  
[...]  
Time step 160  
Time step 180  
Time step 200  
Verification Successful  
  
BT-MZ Benchmark Completed.  
Time in seconds = 5.57
```

Hint: save the benchmark output (or note the run time) to be able to refer to it later

- The tutorial steps are similar and repeated for each tool
- Edit `config/make.def` to adjust build configuration
 - Modify specification of compiler/linker: `MPIF77`
- Make clean and build new tool-specific executable

```
% make clean  
% make bt-mz CLASS=W NPROCS=4  
Built executable .../bin.$(TOOL)/bt-mz_W.4
```

- Change to the directory containing the new executable before running it with the desired tool configuration

```
% cd bin.$(TOOL)  
% export ...  
% OMP_NUM_THREADS=4 mpiexec -np 4 ./bt-mz_W.4
```

```
#           SITE- AND/OR PLATFORM-SPECIFIC DEFINITIONS  
#-----  
# Items in this file may need to be changed for each platform.  
#-----  
...  
#-----  
# The Fortran compiler used for MPI programs  
#-----  
MPIF77 = mpif77
```

Default (no instrumentation)

```
# Alternative variants to perform instrumentation  
#MPIF77 = psc_instrument -u user,mpi,omp -s ${PROGRAM}.sir mpif77  
#MPIF77 = tau_f90.sh  
#MPIF77 = scalasca -instrument mpif77  
#MPIF77 = vtf77 -vt:hyb -vt:f77 mpif77  
#MPIF77 = scorep --user mpif77
```

Hint: uncomment one of these alternative compiler wrappers to perform instrumentation

```
# PREP is a generic preposition macro for instrumentation preparation  
#MPIF77 = $(PREP) mpif77  
  
# This links MPI Fortran programs; usually the same as ${MPIF77}  
FLINK    = $(MPIF77)  
...
```