

Performance Analysis with Periscope

M. Gerndt, Y. Oleynik
Technische Universität München

oleynik@in.tum.de

October 2013

Outline

- Periscope overview
- Periscope performance analysis model
- Performance analysis automation
- Periscope GUI

Periscope

- **Distributed architecture**
 - Analysis performed by multiple distributed hierarchical agents
- **Iterative online analysis**
 - Measurements are configured, obtained and evaluated on the fly
 - no tracing files needed
- **Automatic bottlenecks search**
 - Based on performance optimization experts' knowledge
- **Enhanced GUI**
 - Eclipse based integrated development and performance analysis environment
- **Instrumentation**
 - Done by Score-P

Distributed Architecture


Graphical User Interface

Interactive frontend

Eclipse-based GUI

Analysis control


Agents network



Monitoring Request Interface

MRIMonitor/Score-P
Application

Iterative Online Analysis



Periscope Phases

- Periscope performs multiple iterative performance measurement experiments on the basis of *Phases*:
 - All measurements are performed inside phase
 - Begin and end of phase are global synchronization points
 - Automatic restart might be necessary
- Region needs to be marked as an Online Access Phase to use the Score-P Online Access Interface
 - Typically main loop of application → no need for restart, faster analysis
 - Unnecessary code parts are not measured → less measurements overhead
 - Severity value is normalized on the main loop iteration time → more precise performance impact estimation



Definition of Online Access Phases


```
#include <scorep/SCOREP_User.h>
void foo()
{
    SCOREP_USER_REGION_DEFINE( my_region_handle )
    for(i=0;...
    {
        SCOREP_USER_OA_PHASE_BEGIN( my_region_handle, \
            „ITERATION”,SCOREP_USER_REGION_TYPE_COMMON )
        // do something
        ...
        SCOREP_USER_OA_PHASE_END( my_region_handle )
    }
}
```

Automatic search for bottlenecks

- Automation based on formalized expert knowledge
 - Potential performance problems → properties
 - Efficient search algorithm → search strategies
- Performance property
 - Condition
 - Confidence
 - Severity
- Performance analysis strategies
 - Westmere Single-node Analysis
 - Itanium2 Stall Cycle Analysis
 - IBM POWER6 Single Core Performance Analysis
 - MPI Communication Pattern Analysis
 - Generic Memory Analysis
 - OpenMP-based Performance Analysis
 - Scalability Analysis – OpenMP codes

Example Properties

- StallCycles (Region, Rank, Thread, Metric, Phase)
 - Condition
 - Percentage of lost cycles >30%
 - Severity
 - Percentage of lost cycles
- MPI Late Sender
 - Automatic detection of wait patterns
 - Measurement on the fly
 - No tracing required
- OpenMP Synchronization properties
 - Critical section overhead property
 - Load imbalance



Source code view

Project view

Properties view

The screenshot shows the Periscope IDE interface. The top menu bar includes File, Edit, Refactor, Navigate, Search, Project, Run, Window, and Help. The source code view displays Fortran code for parallel computation, with a callout pointing to the first few lines:

```
c This function computes the left hand side in the xi-direction
c
!$OMP PARALLEL DEFAULT(SHARED) PRIVATE(n,m,i,j,k, isize)
!$OMP& SHARED(dx5,dx4,dx3,dx2,dx1,tx2,tx1,dt,c1345,c3c4,con43,c1,c2,
!$OMP&
nx,ny,nz)
isize = nx-1

c determine a (labeled f) and n jacobians
c
!$OMP DO
do k = 1, nz-2
do j = 1, ny-2
do i = 0, isize
```

The project view on the right shows the directory structure of the current project, NPB3.3-BT-MZ, with a callout pointing to the 'NPB3.3-BT-MZ' node:

- NPB3.3-BT-MZ
 - BT-MZ
 - bin
 - bin.scorep
 - common
 - config
 - jobsctipt
 - LU-MZ
 - SP-MZ
 - sys
 - Makefile
 - README

The properties view at the bottom shows a table of load imbalance issues found in various files, with a callout pointing to the first row:

| Name | Filename | RFL | Severity | Confidence | Region | Process | Thread |
|-----------------------------------|-----------|-----|----------|------------|-----------------|---------|--------|
| Load Imbalance in parallel region | z_solve.f | 43 | 2.34 | 1.00 | Parallel region | 3 | 0 |
| Load Imbalance in parallel region | z_solve.f | 43 | 4.37 | 1.00 | Parallel region | 0 | 0 |
| Load Imbalance in parallel region | x_solve.f | 46 | 6.92 | 1.00 | Parallel region | 1 | 0 |
| Load Imbalance in parallel region | y_solve.f | 43 | 7.76 | 1.00 | Parallel region | 1 | 0 |
| Load Imbalance in parallel region | z_solve.f | 43 | 3.43 | 1.00 | Parallel region | 1 | 0 |
| Load Imbalance in parallel region | x_solve.f | 46 | 7.46 | 1.00 | Parallel region | 2 | 0 |
| Load Imbalance in parallel region | y_solve.f | 43 | 7.84 | 1.00 | Parallel region | 2 | 0 |

Thank you for your attention!

- Current version 1.5
 - Available under: <http://www.lrr.in.tum.de/periscope/Download>
- Further information:
 - Periscope web page: <http://www.lrr.in.tum.de/periscope>
 - Contact us directly at: periscope@lrr.in.tum.de